



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

September 21, 2009

Certified Mail  
7008 2810 0001 3940 5589

Richard Bush  
1023 Summit Lake Circle NW  
Olympia, WA 98502

Re: Water Right Permit No. S2-29406

In response to your request, you are hereby granted an extension to put the water to full beneficial use for the reasons below:

- You have cleared your building site and constructed a storage building and garage, demonstrating due diligence in the development of your project.
- You intend to begin construction of a home next spring.

The new deadline to submit your *Proof of Appropriation of Water* is May 1, 2011.

As a condition of this extension, the following provisions have been updated or added to your permit:

“An approved measuring device shall be installed and maintained for the source identified by this water right in accordance with the rule “Requirements for Measuring and Reporting Water Use”, Chapter 173-173 WAC.”

“Water use data shall be recorded annually and maintained by the property owner for a minimum of five years, and shall be promptly submitted to Ecology upon request.”

“WAC 173-173 describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition the Department of Ecology for modifications to some of the requirements. Installation, operation and maintenance requirements are enclosed as a document titled “Water Measurement Device Installation and Operation Requirements”.

<http://www.ecy.wa.gov/programs/wr/measuring/measuringhome.html>”

“Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the project location, and to inspect at reasonable times, records of water use, wells, diversions, measuring devices and associated distribution



systems for compliance with water law.”

You have a right to appeal this decision. To appeal this you must:

- File your appeal with the Pollution Control Hearings Board within 30 days of the “date of receipt” of this document. Filing means actual receipt by the Board during regular office hours.
- Serve your appeal on the Department of Ecology within 30 days of the “date of receipt” of this document. Service may be accomplished by any of the procedures identified in WAC 371-08-305(10). “Date of receipt” is defined at RCW 43.21B.001(2).

Be sure to do the following:

- Include a copy of this document that you are appealing with your *Notice of Appeal*.
- Serve and file your appeal in paper form; electronic copies are not accepted.

**1. To file your appeal with the Pollution Control Hearings Board**

Mail appeal to:

The Pollution Control Hearings Board  
PO Box 40903  
Olympia WA 98504-0903

OR Deliver your appeal in person to:

The Pollution Control Hearings Board  
4224 – 6th Ave SE Rowe Six, Bldg 2  
Lacey WA 98503

**2. To serve your appeal on the Department of Ecology**

Mail appeal to:

The Department of Ecology  
Appeals Coordinator  
P.O. Box 47608  
Olympia WA 98504-7608

OR Deliver your appeal in person to:

The Department of Ecology  
Appeals Coordinator  
300 Desmond Dr SE  
Lacey WA 98503


**3. And send a copy of your appeal to:**

Thomas Loranger  
Department of Ecology  
PO Box 47775  
Olympia, WA 98504-7775

*For additional information visit the Environmental Hearings Office Website:*  
*<http://www.eho.wa.gov> . To find laws and agency rules visit the Washington State*  
*Legislature Website: <http://www1.leg.wa.gov/CodeReviser> .*

If you have any questions, please contact Marie Peter at (360) 407-0279 or by e-mail at [mpet461@ecy.wa.gov](mailto:mpet461@ecy.wa.gov).

Sincerely,

A handwritten signature in cursive script that reads "Thomas Loranger". The signature is written in dark ink and is positioned to the right of the typed name.

Thomas Loranger  
Section Manager  
Water Resources Program

Enclosures: *Proof of Appropriation of Water*  
*Your Right to Be Heard*

